

# **MAINSAILS**

**Please call or email for pricing and further details**

| <u>ID NO.</u> | <u>SAIL DESCRIPTION</u>   | <u>LUFF</u> | <u>LEECH</u> | <u>FOOT</u> | <u>SCORE</u> | <u>ID NO.</u> |
|---------------|---|-------------|--------------|-------------|--------------|---------------|
| M1185         | Mainsail, tan cross cut dacron, 0 reefs, 0 battens, slides, loose foot, good condition                              | 3.40        | 4.00         | 2.80        | 7            | M1185         |
| M354          | Mainsail, cross cut tan dacron, 2 B/P's, HA158 luff slides, Condition-fair, shape-fair                              | 4.12        | 4.40         | 1.48        | 5            | M354          |
| M1131         | Mizzen/Main, Tan cross cut dacron, 3 battens, A014 slides, fair condition   | 5.60        | 5.80         | 1.80        | 7            | M1131         |
| M1130         | Mizzen/Main, Tan cross cut dacron, 1 reef, 3 battens, A017 slides, good condition                                   | 6.14        | 6.29         | 1.74        | 8            | M1130         |
| M1203         | Mainsail, cross cut dacron, 0 reefs, 3 battens, loose foot, good condition  | 7.13        | 7.60         | 3.40        | 7            | M1203         |
| M1210         | Mainsail, cross cut dacron, 0 reefs, 3 battens, loose foot, good condition  | 7.13        | 7.58         | 3.42        | 7            | M1210         |
| M1218         | Mainsail, cross cut dacron, 2 reefs, 4 battens, 10mm luff & foot, fair condition.                                   | 7.20        | 7.50         | 1.90        | 6            | M1218         |
| M940          | Mainsail, cross cut dacron, 3 reefs, 4 short battens, 8mm luff & foot, loose foot, fair condition *                 | 7.28        | 7.60         | 1.85        | 5            | M940          |
| M1212         | Mainsail, cross cut dacron, 2 reefs, 4 short battens, 6mm foot, fair condition.                                     | 7.30        | 7.50         | 1.90        | 5            | M1212         |
| M1190         | Mainsail, cross cut dacron, 2 reefs, 4 battens, loose foot, 6mm luff rope, good shape and condition                 | 7.50        | 8.01         | 2.78        | 9            | M1190         |
| M1159         | Mainsail, carbon, 4 short battens, slides and lose foot, good condition   | 8.00        | 8.30         | 2.33        | 7            | M1159         |
| M995          | Mainsail, cross cut kevlar/carbon laminate, A014, 2 reefs, 4 battens, fair condition                                | 8.30        | 8.63         | 2.30        | 6            | M995          |
| M1202         | Mainsail, cross cut dacron, 3 reefs, 5 full battens, 8mm foot, fair condition                                       | 8.70        | 9.45         | 3.70        | 6            | M1202         |
| M1165         | Square Top Mainsail, North grey tri radial laminate, 1 reef, 4 battens, slides, as new condition                    | 8.95        | 9.60         | 3.40        | 10           | M1165         |
| M527          | In mast mainsail, 5mm luff, loose footed, good condition and shape, Maxi Reach                                      | 9.10        | 9.15         | 3.00        | 7            | M527          |
| M1216         | Mainsail, cross cut dacron, 2 reefs, 4 battens, A013, 10mm foot, fair condition.                                    | 9.24        | 9.62         | 2.80        | 6            | M1216         |
| M986          | Mainsail, cross cut dacron, 3 reefs, 4 short battens, 9mm luff & foot, fair condition and shape. *                  | 9.60        | 10.00        | 2.56        | 5            | M986          |
| M1141         | Mainsail, cross cut dacron, 3 reefs, 4 short battens, 10mm foot, A014 slides, fair condition and shape.             | 9.72        | 10.04        | 2.70        | 5            | M1141         |
| M1217         | Mainsail, cross cut dacron, 3 reefs, 4 battens, 10mm luff & foot, fair condition.                                   | 9.73        | 10.20        | 3.00        | 6            | M1217         |
| M1153         | Mainsail, cross cut dacron, 2 reefs, 4 short battens, slides, 7mm foot, fair condition.                             | 9.84        | 10.13        | 2.87        | 7            | M1153         |
| M730          | Mainsail, Tape drive laminate, 2 reefs, 4 battens, 9mm luff rope, loose foot, fair condition, fair shape. *         | 9.90        | 10.54        | 3.62        | 5            | M730          |
| M1211         | Mainsail, cross cut dacron, 2 reefs, 4 short battens, 7mm foot, fair condition.                                     | 9.90        | 10.35        | 2.90        | 5            | M1211         |
| M1137         | Mainsail, cross cut dacron, 3 reefs, 4 short battens, 8mm foot, A014 slides, fair condition and shape.              | 10.00       | 10.30        | 2.90        | 7            | M1137         |
| M1103         | Mainsail, cross cut dacron, 4 reefs, 4 short battens, 10mm foot, fair condition *                                   | 10.00       | 10.49        | 3.30        | 5            | M1103         |
| M1163         | Mainsail, North laminate, 2 reefs, 4 full battens, slides, 10mm foot, as new condition                              | 10.07       | 10.50        | 2.65        | 10           | M1163         |
| M1068         | Mainsail, cross cut, 12mm luff rope, 12mm foot rope, fair shape and condition                                       | 10.10       | 10.73        | 3.00        | 5            | M1068         |
| M1164         | In-mast mainsail, North tri radial laminate, 5mm luff, loose foot, 4 vertical battens, as new condition             | 10.35       | 10.75        | 4.10        | 10           | M1164         |
| M1200         | In-mast mainsail, cross cut dacron, 5mm luff, loose foot, good condition  | 10.36       | 10.50        | 3.50        | 8            | M1200         |
| M1189         | Mainsail, cross cut dacron, 3 reefs, 4 short battens, loose foot, fair condition                                    | 10.60       | 11.22        | 3.49        | 7            | M1189         |
| M1173         | Mainsail, cross cut dacron, 3 reefs, 4 short battens, loose foot, A014 slides, fair condition and shape.            | 10.65       | 11.00        | 3.20        | 6            | M1173         |
| M1172         | Mainsail, cross cut dacron, 3 reefs, 4 full battens, 8mm foot, A014 slides, fair condition and shape.               | 10.68       | 11.24        | 3.75        | 5            | M1172         |
| M693          | Mainsail, cross cut dacron, 3 reefs, Grommets for slides, loose footed, fair condition and shape. *                 | 10.76       | 11.45        | 2.90        | 5            | M693          |
| M1194         | Mainsail, cross cut dacron, 3 reefs, 4 short battens, A014, 10mm foot, fair condition.                              | 11.00       | 11.60        | 3.75        | 5            | M1194         |
| M715          | Mainsail, cross cut dacron, 2 reefs, 4 full battens, 10mm luff and foot ropes, fair condition good shape. *         | 11.20       | 11.78        | 3.78        | 5            | M715          |
| M900          | Mainsail, cross cut dacron, 3 reefs, 4 short battens, A014 slides, 8mm foot, fair condition and shape               | 11.33       | 11.70        | 2.93        | 6            | M900          |
| M429          | Mainsail, cross cut dacron, 3 reefs, 4 short battens, slides, 12mm foot, fair condition and shape                   | 11.40       | 12.20        | 3.80        | 6            | M429          |
| M679          | Mainsail, cross cut dacron, 2 reefs, metal luff slides and foot slides  | 11.50       | 11.96        | 4.87        | 6            | M679          |
| M1195         | Mainsail, cross cut dacron, 3 reefs, 4 full rod battens, A014, 11mm foot, fair condition.                           | 11.50       | 12.00        | 3.70        | 5            | M1195         |
| M399          | Mainsail, cross cut dacron, 4 full length battens, 3 reefs, AO14 luff slides, 10mm foot, condition-fair, shape-fair | 11.55       | 12.00        | 3.43        | 6            | M399          |
| M925          | Mainsail, cross cut dacron, 3 reefs, 4 battens, A014 slides 10mm foot rope, fair condition.                         | 11.56       | 12.20        | 3.75        | 6            | M925          |
| M623          | Mainsail, cross cut dacron, 3 reefs, 4 battens, HA91 slides 10mm foot rope, fair condition.                         | 11.60       | 12.00        | 3.80        | 5            | M623          |
| M1219         | Mainsail, cross cut dacron, 2 reefs, 4 battens, 10mm luff, loose foot, good condition.                              | 11.67       | 12.50        | 4.35        | 8            | M1219         |

# MAINSAILS

Please call or email for pricing and further details

| <u>ID NO.</u> | <u>SAIL DESCRIPTION</u>  | <u>LUFF</u> | <u>LEECH</u> | <u>FOOT</u> | <u>SCORE</u> | <u>ID NO.</u> |
|---------------|--|-------------|--------------|-------------|--------------|---------------|
| M1025         | Mainsail, laminate, tri radial, 1 reef, 4 battens, 9mm luff, fair condition  | 11.70       | 12.10        | 3.35        | 6            | M1025         |
| M941          | Mainsail, cross cut dacron, 2 reefs, 1 full 3 short battens, A014 luff slides, good shape and condition                | 11.70       | 12.00        | 3.78        | 7            | M941          |
| M1043         | Mainsail, cross cut dacron, 3 reefs, 4 battens, A014 slides, 10mm foot, fair condition. *                              | 11.73       | 12.35        | 3.80        | 5            | M1043         |
| M1209         | Mainsail, cross cut dacron, 2 reefs, 4 short battens, loose foot, good condition.                                      | 11.78       | 12.30        | 4.00        | 7            | M1209         |
| M1205         | Mainsail, cross cut dacron, 3 reefs, 4 battens, loose foot, fair condition   | 11.82       | 12.30        | 4.10        | 5            | M1205         |
| M401          | Mainsail, cross cut dacron, 4xFull length battens, 2xreefs, eyelets on luff,Shape+condition-fair                       | 11.84       | 12.30        | 3.15        | 6            | M401          |
| M1214         | Mainsail, cross cut dacron, 3 reefs, 4 battens, A014, 8mm foot, good condition   | 11.95       | 12.50        | 4.00        | 8            | M1214         |
| M481          | Mainsail, cross cut dacron, 4 battens, 3 reefs, 9mm foot rope, fair condition and shape                                | 11.95       | 12.45        | 3.80        | 6            | M481          |
| M1097         | Mainsail, cross cut dacron, 3 reefs, 4 full battens, A014, loose foot, good condition.                                 | 12.10       | 12.60        | 4.16        | 6            | M1097         |
| M631          | Mainsail, cross cut dacron, 3 reefs, 4 short battens, 9mm luff & foot rope, fair condition and shape                   | 12.10       | 12.60        | 3.50        | 6            | M631          |
| M425          | Mainsail, cross cut dacron, 1 reef, 4 short battens, set for slides, fair condition and shape                          | 12.27       | 12.85        | 4.40        | 5            | M425          |
| M865          | Mainsail, cross cut dacron, 3 reefs, 4 short battens, loose rope, fair condition and shape                             | 12.28       | 12.80        | 4.37        | 5            | M865          |
| M1174         | Mainsail, cross cut dacron, 2 reefs, 4 short battens, HA91 slides, fair condition and shape.                           | 12.35       | 12.90        | 4.28        | 6            | M1174         |
| M902          | Mainsail, tri radial cut Kevlar, 0 reefs, 4 short battens, 9mm luff rope, good condition and shape                     | 12.36       | 13.10        | 4.50        | 7            | M902          |
| M1206         | Mainsail, cross cut dacron, 3 reefs, 5 full battens, 10mm foot, fair condition   | 12.40       | 12.80        | 3.80        | 5            | M1206         |
| M1198         | Round Boom mainsail, cross cut dacron, 5 full battens, 5mm luff, 6mm foot, very good condition.                        | 12.40       | 13.10        | 4.40        | 9            | M1198         |
| M1221         | Mainsail, tri-radial cruise laminate, 3 reefs, 2 full & 3 short battens, loose foot, fair condition and shape          | 12.47       | 12.95        | 3.74        | 6            | M1221         |
| M1151         | Mainsail, cross cut dacron, 3 reefs, 4 short battens, 8mm foot, slides, fair condition.                                | 12.50       | 13.00        | 4.20        | 7            | M1151         |
| M1093         | Mainsail, cross cut dacron, 3 reefs, 4 full rod battens, A014, 9mm foot, fair condition                                | 12.52       | 12.85        | 3.85        | 6            | M1093         |
| M1204         | Mainsail, tri-radial cruise laminate, 2 full - 2 short battens, loose foot, good condition and shape                   | 12.66       | 13.24        | 4.34        | 8            | M1204         |
| M1033         | In mast mainsail, cross cut dacron, 5mm luff tape, loose footed, fair condition  | 12.72       | 12.97        | 4.50        | 6            | M1033         |
| M563          | Mainsail, dacron cross cut, A014 slides, 10mm foot tape, fair condition and shape. *                                   | 12.75       | 13.10        | 3.45        | 5            | M563          |
| M944          | Mainsail, cross cut dacron, 1 reef, 4 short battens, A009 luff & foot slides, fair condition and shape *               | 12.80       | 13.20        | 4.00        | 5            | M944          |
| M561          | Mainsail, dacron, cross cut, 3 reefs, A009 slides, 9mm foot tape, fair shape and condition. *                          | 12.85       | 13.42        | 3.60        | 5            | M561          |
| M1035         | Mainsail, cross cut dacron, 3 reefs, 4 battens, A018 slides, 8mm foot, fair condition.                                 | 12.90       | 13.20        | 3.50        | 7            | M1035         |
| M1155         | Mainsail, cross cut dacron, 3 reefs, 5 full battens, A014 slides, loose foot, good condition.                          | 12.95       | 13.40        | 4.30        | 7            | M1155         |
| M701          | Mainsail, Kevlar tape drive, 2 reefs, 10mm luff tape, loose fitted, fair condition and shape. *                        | 13.00       | 13.70        | 4.60        | 5            | M701          |
| M1034         | Mainsail, cross cut dacron, 3 reefs, 4 full battens, A018 slides, 8mm foot, fair condition.                            | 13.10       | 13.40        | 3.40        | 7            | M1034         |
| M1036         | Mainsail, Pentex single taffeta laminate, 2 reefs, 1 full 3 short battens, 12mm luff , loose foot, good condition      | 13.13       | 13.70        | 3.95        | 8            | M1036         |
| M915          | Mainsail, Kevlar single taffeta laminate, tri-radial, 0 reefs, 4 battens, slides, shelf foot, good shape and condition | 13.15       | 13.70        | 4.30        | 7            | M915          |
| M1186         | Mainsail, Vectran cross cut dacron, 3 reefs, 4 full rod battens, loose foot, fair condition.                           | 13.18       | 13.60        | 3.75        | 6            | M1186         |
| M1180         | Mainsail, cross cut dacron, 3 reefs, 4 battens, A014 slides, 10mm foot, good condition.                                | 13.25       | 13.70        | 4.05        | 7            | M1180         |
| M1201         | Mainsail, cross cut dacron, 3 reefs, 4 full battens, loose foot, fair condition  | 13.28       | 13.90        | 4.30        | 5            | M1201         |
| M1207         | Mainsail, cross cut dacron, 3 reefs, 4 battens, loose foot, fair condition   | 13.44       | 14.09        | 4.30        | 7            | M1207         |
| M1150         | Mainsail, cross cut dacron, 3 reefs, 4 short battens, 8mm foot, slides, fair condition.                                | 13.50       | 14.10        | 4.25        | 6            | M1150         |
| M1152         | Mainsail, cross cut dacron, 3 reefs, 4 short battens, slides, 8mm foot, fair condition.                                | 13.56       | 14.00        | 4.16        | 6            | M1152         |
| M1157         | Mainsail, cross cut dacron, 3 reefs, 1 full 3 short battens, fair condition.   | 13.60       | 14.20        | 4.10        | 6            | M1157         |
| M1086         | Mainsail, cross cut dacron, 3 reefs, 4 battens, 10mm luff, 12mm foot, fair condition.                                  | 13.60       | 14.00        | 3.60        | 5            | M1086         |
| M1083         | In mast mainsail, cross cut cream dacron, 6mm luff tape, vertical battens, good condition and shape.                   | 13.65       | 13.90        | 3.90        | 9            | M1083         |
| M1075         | Mainsail, tri-radial, cruise laminate, loose foot, fair condition and shape  | 13.67       | 14.50        | 4.90        | 7            | M1075         |
| M1154         | Mainsail, cross cut dacron, 2 reefs, 4 short battens, HA91 slides & 12 mm foot rope, fair condition.                   | 13.73       | 14.15        | 4.05        | 5            | M1154         |
| M1158         | Mainsail, cross cut dacron, 2 reefs, 4 short battens, HA91 slides & 10 mm foot rope, fair condition.*                  | 13.75       | 14.40        | 4.20        | 5            | M1158         |
| M1058         | In mast mainsail, cross cut dacron, 6mm luff tape, vertical battens, positive roach, loose footed, fair condition      | 14.26       | 14.62        | 4.66        | 7            | M1058         |

# MAINSAILS

Please call or email for pricing and further details

| <u>ID NO.</u> | <u>SAIL DESCRIPTION</u>  | <u>LUFF</u> | <u>LEECH</u> | <u>FOOT</u> | <u>SCORE</u> | <u>ID NO.</u> |
|---------------|--|-------------|--------------|-------------|--------------|---------------|
| M1085         | Mainsail, cross cut dacron, 5 full length battens, 3 reefs, A014 luff, 10mm foot, fair condition     | 14.45       | 15.00        | 4.30        | 6            | M1085         |
| M686          | Mainsail, tri-radial, cruise laminate, 9mm foot tape, fair condition and shape                       | 14.64       | 15.20        | 3.90        | 6            | M686          |
| M970          | In mast mainsail, dacron, 6mm luff tape, loose footed, fair shape and condition                      | 14.70       | 14.86        | 3.86        | 6            | M970          |
| M1102         | Mainsail, tri-radial DC cruise laminate, Fully battened, 10mm foot, fair condition and shape         | 15.85       | 16.50        | 5.45        | 6            | M1102         |
| M1126         | Mainsail, cross cut dacron, 3 reefs, 2 full battons 2 short, A014 slides, loose foot, good condition | 16.40       | 17.00        | 5.25        | 8            | M1126         |
| M1187         | Mainsail, Vectran cross cut dacron, 3 reefs, 5 full rod battens, loose foot, fair condition.         | 18.80       | 19.40        | 5.60        | 7            | M1187         |