Please call or email for pricing and further details.

ID NO.	SAIL DESCRIPTION	<u>LUFF</u>	<u>LEECH</u>	<u>FOOT</u>	Score ID NO.	
H2478 Jib, cross cut dacron, hanks/w	H2478 Jib, cross cut dacron, hanks/wire luff, good condition		2.80	1.70	8	H2478
H2009 Jib, cross cut dacron, 5mm luf	f, good condition	3.50	2.60	1.65	7	H2009
H2337 Jib, tan cross cut dacron, set f	or hanks, good condition	3.53	3.00	1.80	7	H2337
H1805 Jib, cross cut dacron, 8mm luf	f tape, fair shape and condition	4.10	4.20	2.70	6	H1805
H2410 Jib, cross cut dacron, hanks, o		4.10	3.80	2.00	7	H2410
H1836 Genoa, cross cut dacron, 6mr	n luff tape, Blue UV to port, fair condition and good shape	4.15	3.80	2.20	6	H1836
H1803 Jib, cross cut dacron, wire luff	, good condition and shape	4.27	3.72	1.80	7	H1803
H2330 Heavy weather jib, cross cut d		4.30	3.55	2.35	6	H2330
H1995 Jib, cross cut dacron, wire luff	, fair shape and condition	4.35	4.00	1.65	6	H1995
H1975 Jib, cross cut dacron, 5mm luf		4.55	3.32	1.67	7	H1975
H2098 Jib, vertical cut dacron, 6mm	uff, Blue UV to port, good condition and shape	4.72	3.55	2.20	7	H2098
H2397 Jib, Tan mitre cut dacron, han		5.13	3.66	2.45	7	H2397
H1883 Jib, mitre cut dacron, hank/wir	re, good condition	5.17	3.66	2.50	7	H1883
H2392 Jib, cross cut dacron, hanks, f	air condition	5.30	5.10	2.70	5	H2392
H2165 Jib, mitre cut tan dacron, hank	s, good condition	5.32	3.80	2.30	7	H2165
H2430 Genoa, cross cut dacron, han		5.40	4.60	2.85	6	H2430
H2408 Jib, cross cut dacron, hanks, f		5.53	5.04	2.10	5	H2408
H2402 Jib, mitre cut dacron, hanks, g		5.55	4.00	2.90	8	H2402
H2125 Jib, cross cut, hanks, good co		5.60	4.90	2.61	7	H2125
H2353 Jib, cross cut hard finish dacro		5.60	4.70	2.20	7	H2353
H2299 Jib, cross cut dacron, hanks, o		5.70	5.30	2.45	6	H2299
H2119 Jib, cross cut dacron, hanks,		5.80	5.60	2.70	7	H2119
H2407 Jib, mitre cut dacron, wire luff,		5.90	5.65	3.05	5	H2407
H2079 Jib, cross cut dacron, wire luff	good condition and shape	5.99	5.50	2.10	8	H2079
H2323 Genoa, cross cut dacron, han		6.06	5.26	2.90	6	H2323
H2124 Jib, cross cut dacron, wire/har		6.10	4.84	2.58	7	H2124
H2358 Jib, cross cut dacron, hanks, f	air condition	6.10	5.20	2.90	6	H2358
H2044 Working Jib, cross cut dacron		6.14	4.35	2.83	6	H2044
H2451 Jib, cross cut dacron, 5mm luf		6.30	4.77	3.54	7	H2451
H1851 Jib, mitre cut dacron, good co		6.33	4.89	3.03	7	H1851
H2486 Genoa, cross cut dacron, 7mn		6.40	5.80	3.10	8	H2486
H2511 Working Jib, cross cut dacron	, hanks & luff sleeve, fair condition	6.50	5.80	3.18	5	H2511
H2151 Dragon class jib, cross cut, wi	re luff, window, fair condition	6.52	6.09	3.50	7	H2151
H2496 Genoa, cross cut dacron, han		6.53	5.90	2.40	5	H2496
H1982 Genoa, tri radial single taffeta		6.57	6.10	3.46	6	H1982
H1948 Jib, mitre cut dacron, hanks, fa		6.58	4.72	3.15	5	H1948
H1689 Jib, cross cut dacron, hanks/w		6.60	5.08	3.11	5	H1689
H2338 Jib, red cross cut dacron, han		6.60	6.20	2.10	5	H2338
H2435 Jib, mitre cut dacron, hanks, fa	,	6.65	4.80	3.15	6	H2435
H2329 Heavy weather jib, cross cut d		6.80	5.50	3.15	5	H2329

Please call or email for pricing and further details.

ID NO. SAIL DESCRIPTION	<u>LUFF</u>	<u>LEECH</u>	<u>FOOT</u>	Score ID NO.
H1783 Staysail, cross cut dacron, fair condition and shape	6.84	4.53	3.58	6 H1783
H2532 Working Jib, cross cut dacron, 5mm luff, 1 reef, fair condition	6.86	6.00	2.90	7 H2532
H2021 Jib, cross cut dacron, 4mm luff, fair condition	6.97	5.80	3.23	6 H2021
H1885 Jib, mitre cut blue dacron, hanks/wire, fair condition and shape	7.00	5.91	2.76	6 H1885
H2411 Jib, cross cut tan dacron, 4mm luff, tan UV to stbd, good condition	7.02	6.00	2.60	6 H2411
H1999 Jib, cross cut dacron, HF, wire/hanks luff, good condition and shape	7.05	6.47	2.43	7 H1999
H2443 Jib, mitre cut dacron, hanks, fair condition and shape	7.10	5.80	3.10	5 H2443
H2469 Genoa, cross cut dacron, hanks, 1 reef, fair condition	7.10	7.05	4.10	5 H2469
H2530 Genoa, cross cut dacron, 5mm luff, fair condition	7.20	7.80	4.00	6 <b>H2530</b>
H2531 Genoa, cross cut dacron, 5mm luff, fair condition	7.20	7.60	3.90	6 H2531
H2039 Jib, Tri-radial laminate, hanks, fair condition	7.21	6.63	3.15	6 H2039
H2404 Genoa, mitre cut dacron, hanks, 1 reef, fair condition	7.44	7.00	3.00	5 H2404
H2446 Genoa, cross cut dacron, 7mm luff, blue UV to stbd, fair condition	7.70	7.30	4.60	5 H2446
H2406 Genoa, mitre cut dacron, 8mm luff, fair condition	7.86	8.73	5.95	5 H2406
H1535 Jib, Mitre cut dacron, 9mm luff tape, fair condition and shape	7.90	6.64	3.60	5 H1535
H2363 Genoa, cross cut dacron, 7mm luff, fair condition and shape	7.93	6.76	3.60	5 H2363
H2401 Genoa, cross cut dacron, hanks, fair condition and shape	8.00	8.25	4.20	6 H2401
H2398 Jib, Tan mitre cut dacron, hanks, good condition	8.05	6.80	3.60	7 H2398
H2399 Jib, cross cut dacron, 7mm luff, blue UV to port, good condition	8.05	6.80	3.60	7 H2399
H2356 Genoa, cross cut dacron, 5mm luff, blue UV to port, fair condition	8.16	7.30	3.76	6 <b>H2356</b>
H2427 Genoa, mitre cut dacron, 6mm luff, new blue UV to Stbd, fair condition	8.19	7.13	3.50	6 <b>H2427</b>
H2437 Genoa, cross cut square dacron, 5mm luff, 3 horz battens, fair condition and good shape	8.20	7.50	2.83	7 H2437
H2290 Jib, Tan cross cut dacron, 5mm luff, tan UV to port, good condition	8.30	6.80	2.90	6 H2290
H2522 Genoa, cross cut dacron, hanks, fair condition	8.30	7.30	4.20	6 <b>H2522</b>
H2495 Genoa, cross cut dacron, hanks, fair condition	8.30	7.65	3.05	6 H2495
H2361 Genoa, cross cut dacron, hanks, good condition and shape	8.33	8.05	4.00	7 <b>H2361</b>
H1874 Genoa, vertical cut dacron, 5mm luff tape, fair condition and shape	8.34	7.77	2.70	6 H1874
H958 Genoa, tri-radial pentex, hanks, condition and shape fair	8.35	7.85	3.90	5 H958
H2391 Genoa, cross cut dacron, 5mm luff, blue UV to port, good condition	8.40	7.90	3.26	9 H2391
H1939 Jib, single taffeta laminate, 3 full battens, good condition and shape	8.41	7.71	2.75	7 H1939
H2364 Genoa, mitre cut dacron, hanks, fair condition	8.44	8.10	4.23	5 <b>H2364</b>
H2186 Jib, Cream mitre cut dacron, wire luff, fair condition	8.52	6.52	3.40	6 <b>H2186</b>
<b>H2405</b> Genoa, mitre cut dacron, 8mm luff, blue UV to port, fair condition*	8.55	9.25	5.95	5 <b>H2405</b>
H2233 Genoa, tri radial dacron, 5mm luff, good condition	8.56	7.86	3.70	8 <b>H2233</b>
H2295 Genoa, cross cut dacron, hanks, good condition and shape	8.56	8.23	4.04	7 <b>H2295</b>
H2519 Genoa, cross cut dacron, 7mm luff, fair condition and shape	8.60	8.15	4.25	6 <b>H2519</b>
H2244 Jib, Tan cross cut dacron, wire luff, fair condition	8.70	6.22	3.80	6 <b>H2244</b>
H2325 Genoa, cross cut dacron, hanks, fair condition	8.70	8.20	4.75	7 <b>H2325</b>
H2483 Genoa, cross cut dacron, hanks, fair condition	8.70	7.45	4.90	5 <b>H2483</b>
H2484 Jib, cross cut dacron,hanks, very good condition	8.78	7.90	3.35	9 <b>H2484</b>
H2433 Genoa, cross cut dacron, hanks, fair condition	8.90	8.30	4.34	6 <b>H2433</b>

Please call or email for pricing and further details.

ID NO.	SAIL DESCRIPTION	<u>LUFF</u>	<u>LEECH</u>	<u>FOOT</u>	Score	ID NO.
H2394 Genoa, cross	cut dacron, hanks, good condition and shape	9.00	8.20	4.10	7	H2394
	dacron, uv strip, wire luff, good condition and shape	9.03	7.68	2.58	7	H1658
H2175 Genoa, cross	s cut dacron, uv strip, 5mm luff tape	9.05	8.45	3.53	6	H2175
	cut, hanks, fair shape and condition	9.20	8.80	4.78	5	H2344
H2359 Jib, cross cut	dacron, hanks, fair condition	9.20	8.68	2.60	7	H2359
H2379 Genoa, Lt we	eight, mitre cut dacron, hanks, fair condition	9.40	9.30	5.10	6	H2379
H2498 Jib, cross cut	dacron, hanks, fair condition	9.40	7.70	4.30	6	H2498
H2509 Genoa, cross	cut dacron, 5mm luff, blue UV to port, fair condition	9.40	8.70	4.70	6	H2509
H2468 Jib/No.3, cros	ss cut dacron, 6mm luff, fair condition.	9.46	8.20	2.90	7	H2468
H1439 No.3, hanked	f, fair condition	9.52	9.05	4.20	5	H1439
H2536 Genoa, cross	cut dacron, 5mm luff, blue UV to stbd, fair condition	9.57	8.90	3.75	7	H2536
H2393 Genoa, cross	cut dacron, hanks, good condition and shape	9.68	9.30	4.55	7	H2393
H2428 Genoa, cross	cut dacron, 5mm, fair condition	9.78	9.40	4.80	6	H2428
H2308 Genoa, crean	m cross cut dacron, fair condition	9.80	8.80	4.20	7	H2308
H2485 Genoa, bi rac	dial dacron, 7mm luff, white UV to Port, fair condition	9.92	9.10	5.50	6	H2485
H2442 Self tacking J	lib, cross cut dacron, 7mm luff, fair condition	9.96	8.86	3.45	5	H2442
	, hank, fair shape and condition	10.00	8.85	4.20	5	H2203
H2246 Genoa, bi rac	dial dacron, 6mm luff, good condition	10.00	9.35	4.70	7	H2246
H1043 Yankee, cros	s cut blue dacron, hanks, fair condition and shape	10.05	7.00	4.75	7	H1043
H2529 Yankee, cros	s cut dacron, 5mm luff, blue UV to port, good condition	10.57	8.83	4.40	8	H2529
H2420 Genoa, cross	cut dacron, 5mm luff, blue UV to stbd, foam luff, fair condition	10.60	10.10	4.96	6	H2420
H2465 Genoa, cross	cut square dacron, 5mm luff, UV to stbd, good condition	10.70	10.19	4.90	8	H2465
H2526 Jib, Heavy we	eather cross cut dacron, hanks, fair condition	10.84	8.60	4.00	6	H2526
H2457 Jib/No.3, cros	ss cut dacron, 5mm luff, 3 small horz battens, good condition.	10.91	10.30	3.60	8	H2457
H2348 Jib, cross cut	dacron, wire luff, fair shape and condition	11.00	10.60	2.55	6	H2348
H2424 Genoa, cross	s cut dacron, 5mm luff, white UV to port, foam luff, fair condition	11.05	11.05	5.75	6	H2424
H2456 Genoa, cross	s cut dacron, 5mm luff, blue UV to stbd, fair condition	11.08	10.00	5.25	6	H2456
H2425 Genoa, Lt we	eight, cross cut dacron, 5mm luff, good condition	11.11	10.70	5.90	7	H2425
H2375 Genoa, cross	s cut dacron, 6mm, fair shape and condition	11.18	10.70	5.40	6	H2375
H2491 Staysail, cros	ss cut dacron, 5mm luff, fair condition	11.20	9.50	4.85	7	H2491
H2417 Genoa, cross	s cut dacron, 5mm luff, blue UV to port, fair condition	11.23	10.80	4.70	7	H2417
<b>H2527</b> No.3, cross c	ut dacron, hanks, fair condition	11.24	10.10	4.63	6	H2527
	s cut dacron, 1 reef, 6mm luff, fair condition *	11.45	10.20	4.80	5	H2006
H2501 Jib, heavy we	eather cross cut dacron, hanks, orange hi viz strip, fair condition	11.47	9.70	3.80	6	H2501
H2518 Genoa, Flex	double taffeta cross cut laminate, 5mm luff, good condition	11.50	11.40	5.20	9	H2518
H2438 Genoa, cross	s cut dacron, 5mm luff, blue UV to port, fair condition	11.60	10.90	5.95	5	H2438
	cut dacron, 5mm, fair shape and condition	11.66	11.40	6.05	6	H2368
H2488 Jib, cross cut	dacron, 5mm luff, good shape and condition	11.75	10.20	4.46	8	H2488
H2534 Genoa, cross	cut dacron, 5mm luff, blue UV to stbd, fair condition	11.86	11.70	4.93	7	H2534
H1962 Ghosting gen	noa, cross cut dacron, hanks, good condition and shape	11.87	11.40	6.25	7	H1962
H2535 Genoa, cross	cut dacron, 5mm luff, blue UV to stbd, fair condition	11.90	11.40	3.80	7	H2535

Please call or email for pricing and further details.

ID NO.	SAIL DESCRIPTION	<u>LUFF</u>	<u>LEECH</u>	<u>FOOT</u>	Score	Score ID NO.	
H2524 Genoa, cross c	ut dacron, 5mm luff, blue UV to stbd, fair condition	12.03	11.10	5.95	6	H2524	
H2516 Genoa, cross c	ut dacron, 5mm luff, blue UV to stbd, good condition	12.10	11.70	4.60	7	H2516	
H2510 Genoa, cross c	ut dacron, 5mm luff, UV to stbd, fair condition	12.30	12.00	6.00	6	H2510	
H2520 Genoa, cross c	ut dacron, 5mm luff, UV to stbd, good condition	12.40	11.70	3.92	7	H2520	
H2515 Jib, cross cut d	acron, 8mm luff, blue UV to port, fair shape and condition	12.40	11.60	3.20	6	H2515	
H2326 Genoa, cross c	ut dacron, hanks, fair condition	12.60	12.30	6.60	5	H2326	
H2525 Jib, cross cut d	acron, hanks, fair condition	12.67	11.10	4.35	6	H2525	
H2412 Genoa, cross c	ut tan dacron, 4mm luff, tan UV to stbd, good condition	12.72	11.20	6.54	6	H2412	
H2489 Genoa, cross c	ut dacron, 5mm luff, good shape and condition	12.87	12.40	6.20	8	H2489	
H2458 Jib, cross cut d	acron, hanks, good condition.	12.95	10.45	4.85	9	H2458	
H2504 Genoa, bi-radia	al dacron, 5mm luff, blue UV to stbd, good condition and shape	13.10	12.50	5.60	7	H2504	
H2400 Genoa, cross c	ut dacron, 6mm luff, fair condition and shape	13.40	13.00	6.40	6	H2400	
H2533 Genoa, bi radia	ll cut dacron, 6mm luff, blue UV to port, fair condition *	13.74	12.40	6.80	5	H2533	
H2419 Genoa, cross c	ut dacron, 5mm luff, blue UV to stbd, fair condition	13.90	13.30	6.70	5	H2419	
H2471 Genoa, cross c	ut dacron, 6mm luff, blue UV to port, fair condition	14.02	12.35	5.35	7	H2471	
H2370 Jib, cross cut d	acron, 5mm, good condition	14.10	12.60	5.00	7	H2370	
H2502 Genoa, cross c	ut dacron, 5mm luff, white UV to stbd, good condition	14.48	13.50	6.50	7	H2502	
H2521 Genoa, tri-radia	al cruise laminate, 5mm luff, white UV to stbd, good condition and shape	14.55	13.90	5.26	8	H2521	
H2462 Genoa, cross c	ut dacron, 5mm luff, grey UV to stbd, fair condition	14.80	14.30	7.80	7	H2462	
H2146 Jib, single taffe	ta kevlar, 6.5mm luff, battens, fair condition	14.95	12.90	5.26	6	H2146	
H2389 Jib/No.4, cross	cut dacron, 5mm luff, fair condition.	15.26	12.20	6.00	6	H2389	
H2459 Yankee, heavy	cross cut dacron, hanks, fair condition	15.80	12.35	7.20	6	H2459	
H2450 Genoa, cross c	ut dacron, 5mm luff, foam luff, grey UV to stbd, good condition and shape	16.00	14.90	5.20	7	H2450	
H2482 Genoa, cross c	ut dacron, 5mm luff, white UV to stbd, fair condition	16.20	15.50	7.00	6	H2482	
H2423 Self tacking Jib	, cross cut dacron, 6mm luff, fair condition	16.70	15.60	4.70	6	H2423	
H2513 Genoa, cross c	ut dacron, 5mm luff, blue UV to stbd, fair condition	16.80	16.00	8.00	6	H2513	

All prices are plus VAT