

# HEADSAILS

Please call or email for pricing and further details.

<u>ID NO.</u>	<u>SAIL DESCRIPTION</u>	<u>LUFF</u>	<u>LEECH</u>	<u>FOOT</u>	<u>Score</u>	<u>ID NO.</u>
H2478	Jib, cross cut dacron, hanks/wire luff, good condition	3.40	2.80	1.70	8	H2478
H2009	Jib, cross cut dacron, 5mm luff, good condition	3.50	2.60	1.65	7	H2009
H2337	Jib, tan cross cut dacron, set for hanks, good condition	3.53	3.00	1.80	7	H2337
H2648	Jib, mitre cut, hanks, fair condition	4.00	3.40	1.63	5	H2648
H1805	Jib, cross cut dacron, 8mm luff tape, fair shape and condition	4.10	4.20	2.70	6	H1805
H1836	Genoa, cross cut dacron, 6mm luff tape, Blue UV to port, fair condition and good shape	4.15	3.80	2.20	6	H1836
H1803	Jib, cross cut dacron, wire luff, good condition and shape	4.27	3.72	1.80	7	H1803
H2330	Heavy weather jib, cross cut dacron, 4mm luff, fair condition	4.30	3.55	2.35	6	H2330
H1995	Jib, cross cut dacron, wire luff, fair shape and condition	4.35	4.00	1.65	6	H1995
H2543	Jib, cross cut dacron, wire/hanks, fair condition	4.54	4.25	2.10	6	H2543
H2544	Jib, cross cut dacron, wire/hanks, good condition	4.57	4.25	2.10	8	H2544
H2436	Jib, mitre cut dacron, hank/wire, good condition	4.60	4.25	2.60	5	H2436
H2098	Jib, vertical cut dacron, 6mm luff, Blue UV to port, good condition and shape	4.72	3.55	2.20	7	H2098
H2553	Jib, cross cut dacron, wire/hanks, fair condition	5.10	4.10	2.85	5	H2553
H2397	Jib, Tan mitre cut dacron, hanks, good condition	5.13	3.66	2.45	7	H2397
H1883	Jib, mitre cut dacron, hank/wire, good condition	5.17	3.66	2.50	7	H1883
H2392	Jib, cross cut dacron, hanks, fair condition	5.30	5.10	2.70	5	H2392
H2430	Genoa, cross cut dacron, hanks, fair condition	5.40	4.60	2.85	6	H2430
H2408	Jib, cross cut dacron, hanks, fair condition	5.53	5.04	2.10	5	H2408
H2125	Jib, cross cut, hanks, good condition	5.60	4.90	2.61	7	H2125
H2353	Jib, cross cut hard finish dacron, poppers on luff, good condition	5.60	4.70	2.20	7	H2353
H2407	Jib, mitre cut dacron, wire luff, fair condition	5.90	5.65	3.05	5	H2407
H2323	Genoa, cross cut dacron, hanks, fair condition	6.06	5.26	2.90	6	H2323
H2577	Jib, mitre cut dacron, hank/wire, good condition	6.10	5.20	2.80	8	H2577
H2124	Jib, cross cut dacron, wire/hanks, fair condition	6.10	4.84	2.58	7	H2124
H2358	Jib, cross cut dacron, hanks, fair condition	6.10	5.20	2.90	6	H2358
H2044	Working Jib, cross cut dacron, 6mm luff, fair condition and shape	6.14	4.35	2.83	6	H2044
H2541	Hawk 20 Jib, cross cut dacron, wire luff, blue UV to port, fair condition	6.28	5.80	2.44	6	H2541
H2451	Genoa, cross cut dacron, 5mm luff, fair condition	6.30	4.77	3.54	7	H2451
H2545	Jib, mitre cut dacron, hanks, fair condition	6.30	4.95	2.20	5	H2545
H1851	Jib, mitre cut dacron, good condition & shape	6.33	4.89	3.03	7	H1851
H2593	Genoa, tan cross cut dacron, hanks, good condition	6.35	6.08	2.90	8	H2593
H2549	Genoa, mitre cut dacron, 5mm luff, blue UV to stbd	6.36	4.56	3.10	7	H2549
H2486	Genoa, cross cut cream dacron, 7mm luff, cream UV to port	6.40	5.80	3.10	8	H2486
H2496	Genoa, cross cut dacron, hanks, fair condition	6.53	5.90	2.40	5	H2496
H2628	Genoa, mitre cut dacron, hanks, fair condition	6.55	6.10	3.45	5	H2628
H2338	Jib, red cross cut dacron, hanks, fair condition	6.60	6.20	2.10	5	H2338
H2647	Genoa, cross cut dacron, hanks, fair condition	6.70	6.00	2.65	5	H2647
H2329	Heavy weather jib, cross cut dacron, hanks, fair condition	6.80	5.50	3.15	5	H2329
H1783	Staysail, cross cut dacron, fair condition and shape	6.84	4.53	3.58	6	H1783
<b>H2532</b>	Working Jib, cross cut dacron, 5mm luff, 1 reef, fair condition	6.86	6.00	2.90	7	<b>H2532</b>

All dimensions are in metric. Sails are offered subject to remaining unsold. Prices exclude VAT and carriage. Marks out of 10, 10/10 indicates excellent condition. 1/10 indicates very poor. Returns accepted.

# HEADSAILS

Please call or email for pricing and further details.

ID NO.	SAIL DESCRIPTION	LUFF	LEECH	FOOT	Score	ID NO.
H2584	Jib, mitre cut dacron, hank/wire, good condition	6.90	5.80	2.10	6	<b>H2584</b>
H2021	Jib, cross cut dacron, 4mm luff, fair condition	6.97	5.80	3.23	6	H2021
H2552	Jib, cross cut dacron, wire/hanks, fair condition	7.00	6.60	3.30	5	H2552
H1885	Jib, mitre cut blue dacron, hanks/wire, fair condition and shape	7.00	5.91	2.76	6	H1885
H2411	Jib, cross cut tan dacron, 4mm luff, tan UV to stbd, good condition	7.02	6.00	2.60	6	H2411
<b>H1999</b>	Jib, cross cut dacron, HF, wire/hanks luff, good condition and shape	7.05	6.47	2.43	7	<b>H1999</b>
H2443	Jib, mitre cut dacron, hanks, fair condition and shape	7.10	5.80	3.10	5	H2443
H2469	Genoa, cross cut dacron, hanks, 1 reef, fair condition	7.10	7.05	4.10	5	H2469
<b>H2637</b>	Heavy Jib, cross cut dacron, Hanks, fair condition	7.10	6.40	2.20	7	<b>H2637</b>
H2551	Jib, cross cut dacron, 5mm luff with grommets, fair condition	7.30	6.50	2.30	6	H2551
H2629	Jib, mitre cut dacron, hanks, good condition	7.35	5.60		8	H2629
<b>H2625</b>	Jib/Staysail, cross cut dacron, hanks, good condition	7.42	6.20	3.90	8	<b>H2625</b>
<b>H2603</b>	Genoa, cross cut dacron, hanks, fair condition and shape	7.45	7.15	2.93	6	<b>H2603</b>
H2661	Genoa, cross cut dacron, hanks, good condition	7.55	6.05	3.90	6	H2661
<b>H2604</b>	Genoa, cross cut dacron, hanks, fair condition and shape	7.60	7.70	3.55	7	<b>H2604</b>
<b>H2582</b>	Genoa, mitre cut dacron, hanks, fair condition	7.70	7.50	3.85	6	<b>H2582</b>
H2406	Genoa, mitre cut dacron, 8mm luff, fair condition	7.86	8.73	5.95	5	H2406
H2546	Light airs genoa, cross cut nylon, hanked luff, fair condition	8.00	7.90	5.10	6	H2546
<b>H2401</b>	Genoa, cross cut dacron, set for hanks, fair condition and shape	8.00	8.25	4.20	6	<b>H2401</b>
H2398	Jib, Tan mitre cut dacron, hanks, good condition	8.05	6.80	3.60	7	H2398
H2399	Jib, cross cut dacron, 7mm luff, blue UV to port, good condition	8.05	6.80	2.50	7	H2399
H2290	Jib, Tan cross cut dacron, 5mm luff, tan UV to port, good condition	8.30	6.80	2.90	6	H2290
<b>H1874</b>	Genoa, vertical cut dacron, 5mm luff tape, fair condition and shape	8.34	7.77	2.70	6	<b>H1874</b>
H2578	Jib, cross cut dacron, 6mm luff, fair condition	8.36	7.45	2.35	6	H2578
H2391	Genoa, cross cut dacron, 5mm luff, blue UV to port, good condition	8.40	7.90	3.26	9	H2391
<b>H2601</b>	Jib, Mitre cut dacron, luff slides, fair condition and shape	8.40	7.80	4.00	7	<b>H2601</b>
<b>H2583</b>	Heavy weather jib, mitre cut dacron, hanks/wire, fair condition	8.50	7.30	2.70	6	<b>H2583</b>
<b>H2611</b>	Genoa, cross cut dacron, hanks, fair condition	8.90	7.90	4.30	7	<b>H2611</b>
<b>H2550</b>	Jib, cross cut dacron, wire/hanks, fair condition	8.95	7.40	3.40	5	<b>H2550</b>
H2615	Genoa, cross cut dacron, 5mm luff, blue UV to port, fair condition *	9.00	8.60	4.50	5	H2615
H2394	Genoa, cross cut dacron, hanks, good condition and shape	9.00	8.20	4.10	7	H2394
<b>H1658</b>	Jib, cross cut dacron, uv strip, wire luff, good condition and shape	9.03	7.68	2.58	7	<b>H1658</b>
<b>H2175</b>	Genoa, cross cut dacron, uv strip, 5mm luff tape	9.05	8.45	3.53	6	<b>H2175</b>
<b>H2617</b>	Genoa, mitre cut dacron, fair condition	9.06	8.90	4.50	6	<b>H2617</b>
<b>H2592</b>	Genoa, cross cut dacron, 5mm luff, white UV to stbd, fair condition	9.18	8.65	4.50	7	<b>H2592</b>
<b>H2590</b>	Genoa, cross cut dacron, 7mm luff, burgundy UV to port, fair condition	9.20	8.20	5.20	7	<b>H2590</b>
H2344	Genoa, cross cut, hanks, fair shape and condition	9.20	8.80	4.78	5	H2344
H2359	Jib, cross cut dacron, hanks, fair condition	9.20	8.68	2.60	7	H2359
<b>H2643</b>	Staysail, cross cut dacron, 5mm luff, good condition	9.20	7.70	4.30	8	<b>H2643</b>
<b>H2591</b>	Genoa light No.1, cross cut dacron, hanks, fair condition	9.30	9.15	4.40	5	<b>H2591</b>
<b>H2585</b>	Genoa, cross cut dacron, hanks, fair condition	9.35	8.95	5.30	7	<b>H2585</b>
<b>H2660</b>	Genoa, cross cut dacron, 6mm luff, burgundy UV to port, fair condition	9.38	8.20	5.20	6	<b>H2660</b>

All dimensions are in metric. Sails are offered subject to remaining unsold. Prices exclude VAT and carriage. Marks out of 10, 10/10 indicates excellent condition. 1/10 indicates very poor. Returns accepted.

# HEADSAILS

Please call or email for pricing and further details.

ID NO.	SAIL DESCRIPTION	LUFF	LEECH	FOOT	Score	ID NO.
H2379	Genoa, Lt weight, mitre cut dacron, hanks, fair condition	9.40	9.30	5.10	6	H2379
H2498	Jib, cross cut dacron, hanks, fair condition	9.40	7.70	4.30	6	H2498
H2509	Genoa, cross cut dacron, 5mm luff, blue UV to port, fair condition	9.40	8.70	4.70	6	H2509
H2468	Jib/No.3, cross cut dacron, 6mm luff, fair condition.	9.46	8.20	2.90	7	H2468
H1439	No.3, hanked, fair condition	9.52	9.05	4.20	5	H1439
H2536	Genoa, cross cut dacron, 5mm luff, blue UV to stbd, fair condition	9.57	8.90	3.75	7	H2536
H2393	Genoa, cross cut dacron, hanks, good condition and shape	9.68	9.30	4.55	7	H2393
H2624	Genoa, cross cut dacron, hanks, good condition	9.77	9.20	4.60	8	H2624
H2428	Genoa, cross cut dacron, 5mm, fair condition	9.78	9.40	4.80	6	H2428
H2308	Genoa, cream cross cut dacron, fair condition	9.80	8.80	4.20	7	H2308
H2586	Genoa, cross cut dacron, 5mm luff, blue UV to stbd, very good condition	9.85	9.10	5.00	9	H2586
H2668	Genoa, cross cut dacron, 6mm luff, new blue UV to port, good condition	9.88	8.80	4.03	7	H2668
H2631	Heavy genoa, mitre cut dacron, hanks, fair condition	9.90	8.05	5.50	6	H2631
H2563	Light No.1 Genoa, mitre cut dacron, 5.5mm luff tape, fair condition	10.00	10.10	5.65	5	H2563
H1043	Yankee, cross cut blue dacron, hanks, fair condition and shape	10.05	7.00	4.75	7	H1043
H2572	Genoa, cross cut dacron, 5mm luff, fair condition	10.15	9.20	4.90	7	H2572
H2600	Genoa, mitre cut dacron, luff slides, fair condition	10.18	9.50	4.95	6	H2600
H2618	Jib, cross cut dacron, fair condition	10.37	10.15	2.00	6	H2618
H2645	Genoa, cross cut dacron, 5mm luff, blue UV to port, fair condition	10.39	10.10	5.95	5	H2645
H2597	Jib, mitre cut dacron, hanks, fair condition	10.40	8.80	4.00	6	H2597
H2558	Genoa, cross cut dacron, 5mm luff, 1 reef, fair condition *	10.45	9.65	4.80	5	H2558
H2638	Genoa, mitre cut, 5mm luff, Blue UV to port, fair condition	10.55	9.80	6.07	7	H2638
H2529	Yankee, cross cut dacron, 5mm luff, blue UV to port, good condition	10.57	8.83	4.40	8	H2529
H2420	Genoa, cross cut dacron, 5mm luff, blue UV to stbd, foam luff, fair condition	10.60	10.10	4.96	6	H2420
H2571	Genoa, cross cut dacron, 6mm luff, fair condition	10.62	10.10	5.70	7	H2571
H2671	Genoa, cross cut dacron, 9mm luff, blue UV to port, fair condition	10.65	10.10	5.70	6	H2671
H2644	Genoa, cross cut dacron, 5mm luff, good condition	10.65	9.92	5.20	8	H2644
H2465	Genoa, cross cut square dacron, 5mm luff, UV to stbd, good condition	10.70	10.19	4.90	8	H2465
H2639	Heavy genoa, high cut mitre cut dacron, hanks, fair condition	10.73	9.20	5.05	7	H2639
H2627	Jib, cross cut dacron, New blue UV to stbd, fair condition	10.84	10.00	3.70	6	H2627
H2526	Jib, Heavy weather cross cut dacron, hanks, fair condition	10.84	8.60	4.00	6	H2526
H2662	Genoa, cross cut dacron, 7mm luff, blue UV to port, fair condition	10.87	10.60	5.60	6	H2662
H2579	Genoa, cross cut dacron, 5mm luff, blue UV to port, fair condition	10.90	9.90	5.40	7	H2579
H2457	Jib/No.3, cross cut dacron, 5mm luff, 3 small horz battens, good condition.	10.91	10.30	3.60	8	H2457
H2348	Jib, cross cut dacron, wire luff, fair shape and condition	11.00	10.60	2.55	6	H2348
H2613	Genoa, Norlam tri radial laminate, 7mm luff, white UV to port, fair condition *	11.05	10.50	5.30	5	H2613
H2424	Genoa, cross cut dacron, 5mm luff, white UV to port, foam luff, fair condition	11.05	11.05	5.75	6	H2424
H2642	Light Genoa, cross cut dacron, 5mm luff, good condition	11.06	10.70	6.05	7	H2642
H2456	Genoa, cross cut dacron, 5mm luff, blue UV to stbd, fair condition	11.08	10.00	5.25	6	H2456
H2425	Genoa, Lt weight, cross cut dacron, 5mm luff, good condition	11.11	10.70	5.90	7	H2425
H2375	Genoa, cross cut dacron, 6mm, fair shape and condition	11.18	10.70	5.40	6	H2375
H2565	Genoa, Liteskin laminate, tri radial, 5mm luff, very good condition	11.20	10.65	5.60	9	H2565

All dimensions are in metric. Sails are offered subject to remaining unsold. Prices exclude VAT and carriage. Marks out of 10, 10/10 indicates excellent condition. 1/10 indicates very poor. Returns accepted.

# HEADSAILS

Please call or email for pricing and further details.

ID NO.	SAIL DESCRIPTION	LUFF	LEECH	FOOT	Score	ID NO.
H2417	Genoa, cross cut dacron, 5mm luff, blue UV to port, fair condition	11.23	10.80	4.70	7	H2417
H2527	No.3, cross cut dacron, hanks, fair condition	11.24	10.10	4.63	6	H2527
H2623	Genoa, cross cut dacron, hanks, good condition	11.30	10.70	5.45	8	H2623
H2614	Jib, cross cut dacron, hanks, fair condition	11.34	10.40	3.55	6	H2614
H2501	Jib, heavy weather cross cut dacron, hanks, orange hi viz strip, fair condition	11.47	9.70	3.80	6	H2501
H2609	Genoa, cross cut dacron, 5mm, fair shape and condition	11.50	10.40	5.00	7	H2609
H2518	Genoa, Flex double taffeta cross cut laminate, 5mm luff, good condition	11.50	11.40	5.20	9	H2518
H2610	Genoa, mitre cut dacron, 6mm luff, blue UV to port, fair condition	11.55	10.50	7.80	7	H2610
H2438	Genoa, cross cut dacron, 5mm luff, blue UV to port, fair condition	11.60	10.90	5.95	5	H2438
H2368	Genoa, cross cut dacron, 5mm, fair shape and condition	11.66	11.40	6.05	6	H2368
H2655	Genoa, cross cut dacron, 5mm luff, foam luff, black UV to port, fair condition	11.70	11.20	5.60	6	H2655
H2659	Genoa, cross cut dacron, 5mm luff, blue UV to stbd, fair condition	11.70	11.10	4.05	6	H2659
H2562	Light No.1 Genoa, cross cut dacron, 5mm luff tape, fair condition	11.70	11.30	5.80	6	H2562
H2595	Jib/Staysail, cross cut dacron, 5mm luff, blue UV to port, fair condition	11.73	10.54	3.60	6	H2595
H2488	Jib, cross cut dacron, 5mm luff, good shape and condition	11.75	10.20	4.46	8	H2488
H2534	Genoa, cross cut dacron, 5mm luff, blue UV to stbd, fair condition	11.86	11.70	4.93	7	H2534
H1962	Ghosting genoa, cross cut dacron, hanks, good condition and shape	11.87	11.40	6.25	7	H1962
H2670	Genoa, cross cut dacron, 5mm luff, UV to stbd, fair condition	11.90	11.45	5.50	6	H2670
H2535	Genoa, cross cut dacron, 5mm luff, blue UV to stbd, fair condition	11.90	11.40	3.80	7	H2535
H2598	Genoa, cross cut dacron, 5mm luff, fair condition and shape	11.95	10.40	4.40	7	H2598
H2674	Genoa, cross cut dacron, 5mm luff, foam luff, good condition	12.00	10.95	5.20	8	H2674
H2524	Genoa, cross cut dacron, 5mm luff, blue UV to stbd, fair condition	12.03	11.10	5.95	6	H2524
H2576	Working Jib, cross cut dacron, hanks, fair condition	12.10	10.10	5.00	7	H2576
H2516	Genoa, cross cut dacron, 5mm luff, blue UV to stbd, good condition	12.10	11.70	4.60	7	H2516
H2564	Genoa, cross cut dacron, 5mm luff, foam luff, blue UV to stbd, fair condition	12.20	11.70	6.00	7	H2564
H2634	Genoa, cross cut dacron, 5mm luff, foam luff, blue UV to stbd, fair condition	12.23	11.70	6.00	7	H2634
H2630	Light airs genoa, cross cut dacron, hanked luff, fair condition	12.27	12.45	7.80	8	H2630
H2646	Genoa, cross cut dacron, 5mm luff, blue UV to stbd, fair condition	12.30	11.50	5.70	5	H2646
H2632	Genoa, cross cut dacron, 5mm luff, white UV to stbd, fair condition	12.30	11.48	5.50	6	H2632
H2510	Genoa, cross cut dacron, 5mm luff, UV to stbd, fair condition	12.30	12.00	6.00	6	H2510
H2587	Genoa, cross cut dacron, 5mm luff, white UV to stbd, good condition	12.30	11.60	3.75	8	H2587
H2515	Jib, cross cut dacron, 8mm luff, blue UV to port, fair shape and condition	12.40	11.60	3.20	6	H2515
H2005	Mylor reacher, wire luff, fair condition	12.45	9.65	4.80	6	H2005
H2599	Genoa, cross cut dacron, 5mm luff, fair condition and shape	12.50	11.70	6.10	6	H2599
H2666	Jib, cross cut dacron, 5mm luff, white UV to port, fair condition	12.60	11.50	3.80	6	H2666
H2326	Genoa, cross cut dacron, hanks, fair condition	12.60	12.30	6.60	5	H2326
H2619	Genoa, bi radial cut dacron, 6mm luff, white UV to port, fair condition	12.60	12.00	6.50	7	H2619
H2620	Genoa, cross cut dacron, 5mm luff, white UV to port, foam luff, fair condition	12.65	12.05	6.60	6	H2620
H2412	Genoa, cross cut tan dacron, 4mm luff, tan UV to stbd, good condition	12.72	11.20	6.54	6	H2412
H2626	Genoa, cross cut dacron, 5mm luff, blue UV to stbd, good condition and shape	12.75	12.20	6.45	7	H2626
H2673	Yankee, cross cut dacron, 5mm luff, good condition	12.90	10.60	5.15	8	H2673
H2566	Jib, cross cut dacron, 5mm luff, blue UV to stbd, good shape and fair condition	12.90	12.30	4.45	6	H2566

All dimensions are in metric. Sails are offered subject to remaining unsold. Prices exclude VAT and carriage. Marks out of 10, 10/10 indicates excellent condition. 1/10 indicates very poor. Returns accepted.

# HEADSAILS

Please call or email for pricing and further details.

ID NO.	SAIL DESCRIPTION	LUFF	LEECH	FOOT	Score	ID NO.
H2504	Genoa, bi-radial dacron, 5mm luff, blue UV to stbd, good condition and shape	13.10	12.50	5.60	7	<b>H2504</b>
H2672	Light No.1 Genoa, cross cut dacron, 5mm luff tape, foam luff, blue UV to stbd, fair condition	13.25	12.50	6.30	6	<b>H2672</b>
<b>H2635</b>	Heavy Jib, cross cut dacron, 5mm luff, 3 horz battens, fair condition	13.25	12.10	4.26	7	<b>H2635</b>
<b>H2657</b>	Heavy Jib, cross cut dacron, 5mm luff, 4 horz battens, good condition	13.30	11.20	4.40	8	<b>H2657</b>
H2665	Jib, cross cut dacron, 5mm luff, fair condition	13.53	12.50	4.20	6	<b>H2665</b>
H2557	Genoa, cross cut vectran dacron, 5mm luff, stbd UV, fair condition and shape	13.60	12.80	5.90	6	<b>H2557</b>
H2575	Genoa, cross cut dacron, hanks, fair condition	13.70	12.30	6.45	6	<b>H2575</b>
H2533	Genoa, bi radial cut dacron, 6mm luff, blue UV to port, fair condition *	13.74	12.40	6.80	4	<b>H2533</b>
H2669	Jib, cross cut dacron, 5mm luff, blue UV to stbd, good condition	13.80	12.70	4.30	9	<b>H2669</b>
<b>H2602</b>	Jib, tri-radial cruise laminate, 5mm luff, back up grommets, white UV to stbd, good condition	13.95	13.10	4.30	8	<b>H2602</b>
<b>H2502</b>	Genoa, cross cut dacron, 5mm luff, white UV to stbd, good condition	14.48	13.50	6.50	7	<b>H2502</b>
<b>H2521</b>	Genoa, tri-radial cruise laminate, 5mm luff, white UV to stbd, good condition and shape	14.55	13.90	5.26	8	<b>H2521</b>
<b>H2462</b>	Genoa, cross cut dacron, 5mm luff, grey UV to stbd, fair condition	14.80	14.30	7.80	7	<b>H2462</b>
H2667	Jib, tri-radial grey cruise laminate, 5mm luff, 4 vertical battens, grey UV to stbd, good condition	15.00	14.00	4.90	9	<b>H2667</b>
H2633	Genoa, tri radial cruise laminate, 5mm luff, white UV to port, fair condition *	15.17	14.60	7.00	5	<b>H2633</b>
<b>H2555</b>	Genoa, cross cut dacron, zip luff, 3 vertical battens, good condition	15.37	14.45	5.90	8	<b>H2555</b>
H2664	Jib, cross cut dacron, 5mm luff, 4 battens, good condition	15.60	14.55	4.55	8	<b>H2664</b>
<b>H2636</b>	Jib, cross cut dacron, 5mm luff, fair condition	15.76	14.80	4.40	7	<b>H2636</b>
<b>H2656</b>	Genoa, tri radial high cut, 5mm luff, foam luff, white UV to stbd, fair condition	15.90	13.80	6.60	7	<b>H2656</b>
H2675	Genoa, tri radial cruise laminate, 5mm luff, foam luff, grey UV to port, fair condition *	15.90	15.40	8.10	5	<b>H2675</b>
<b>H2450</b>	Genoa, cross cut dacron, 5mm luff, foam luff, grey UV to stbd, good condition and shape	16.00	14.90	5.20	7	<b>H2450</b>
<b>H2482</b>	Genoa, cross cut dacron, 5mm luff, white UV to stbd, fair condition	16.20	15.50	7.00	6	<b>H2482</b>
<b>H2513</b>	Genoa, cross cut dacron, 5mm luff, blue UV to stbd, fair condition	16.80	16.00	8.00	6	<b>H2513</b>
<b>H2594</b>	Yankee, cross cut dacron, 5mm luff, blue UV to port, fair condition	17.20	13.20	6.90	5	<b>H2594</b>
H2663	Self tacking Jib, grey cruise laminate, 5mm luff, grey UV to stbd, fair condition	17.25	16.05	5.10	6	<b>H2663</b>

All prices are plus VAT