

# HEADSAILS

Please call or email for pricing and further details.

<u>ID NO.</u>	<u>SAIL DESCRIPTION</u>	<u>LUFF</u>	<u>LEECH</u>	<u>FOOT</u>	<u>Score</u>	<u>ID NO.</u>
H2478	Jib, cross cut dacron, hanks/wire luff, good condition	3.40	2.80	1.70	8	H2478
H2009	Jib, cross cut dacron, 5mm luff, good condition	3.50	2.60	1.65	7	H2009
H2337	Jib, tan cross cut dacron, set for hanks, good condition	3.53	3.00	1.80	7	H2337
H2648	Jib, mitre cut, hanks, fair condition	4.00	3.40	1.63	5	H2648
H1805	Jib, cross cut dacron, 8mm luff tape, fair shape and condition	4.10	4.20	2.70	6	H1805
H1836	Genoa, cross cut dacron, 6mm luff tape, Blue UV to port, fair condition and good shape	4.15	3.80	2.20	6	H1836
H1803	Jib, cross cut dacron, wire luff, good condition and shape	4.27	3.72	1.80	7	H1803
H2330	Heavy weather jib, cross cut dacron, 4mm luff, fair condition	4.30	3.55	2.35	6	H2330
H1995	Jib, cross cut dacron, wire luff, fair shape and condition	4.35	4.00	1.65	6	H1995
H2543	Jib, cross cut dacron, wire/hanks, fair condition	4.54	4.25	2.10	6	H2543
H2544	Jib, cross cut dacron, wire/hanks, good condition	4.57	4.25	2.10	8	H2544
H2436	Jib, mitre cut dacron, hank/wire, good condition	4.60	4.25	2.60	5	H2436
H2098	Jib, vertical cut dacron, 6mm luff, Blue UV to port, good condition and shape	4.72	3.55	2.20	7	H2098
H2553	Jib, cross cut dacron, wire/hanks, fair condition	5.10	4.10	2.85	5	H2553
H2397	Jib, Tan mitre cut dacron, hanks, good condition	5.13	3.66	2.45	7	H2397
H1883	Jib, mitre cut dacron, hank/wire, good condition	5.17	3.66	2.50	7	H1883
H2392	Jib, cross cut dacron, hanks, fair condition	5.30	5.10	2.70	5	H2392
H2430	Genoa, cross cut dacron, hanks, fair condition	5.40	4.60	2.85	6	H2430
H2408	Jib, cross cut dacron, hanks, fair condition	5.53	5.04	2.10	5	H2408
H2125	Jib, cross cut, hanks, good condition	5.60	4.90	2.61	7	H2125
H2353	Jib, cross cut hard finish dacron, poppers on luff, good condition	5.60	4.70	2.20	7	H2353
H2407	Jib, mitre cut dacron, wire luff, fair condition	5.90	5.65	3.05	5	H2407
H2323	Genoa, cross cut dacron, hanks, fair condition	6.06	5.26	2.90	6	H2323
H2577	Jib, mitre cut dacron, hank/wire, good condition	6.10	5.20	2.80	8	H2577
H2124	Jib, cross cut dacron, wire/hanks, fair condition	6.10	4.84	2.58	7	H2124
H2358	Jib, cross cut dacron, hanks, fair condition	6.10	5.20	2.90	6	H2358
H2044	Working Jib, cross cut dacron, 6mm luff, fair condition and shape	6.14	4.35	2.83	6	H2044
H2541	Hawk 20 Jib, cross cut dacron, wire luff, blue UV to port, fair condition	6.28	5.80	2.44	6	H2541
H2451	Genoa, cross cut dacron, 5mm luff, fair condition	6.30	4.77	3.54	7	H2451
H2545	Jib, mitre cut dacron, hanks, fair condition	6.30	4.95	2.20	5	H2545
H1851	Jib, mitre cut dacron, good condition & shape	6.33	4.89	3.03	7	H1851
<b>H2593</b>	Genoa, tan cross cut dacron, hanks, good condition	6.35	6.08	2.90	8	<b>H2593</b>
H2549	Genoa, mitre cut dacron, 5mm luff, blue UV to stbd	6.36	4.56	3.10	7	H2549
H2486	Genoa, cross cut cream dacron, 7mm luff, cream UV to port	6.40	5.80	3.10	8	H2486
H2496	Genoa, cross cut dacron, hanks, fair condition	6.53	5.90	2.40	5	H2496
H2628	Genoa, mitre cut dacron, hanks, fair condition	6.55	6.10	3.45	5	H2628
H2338	Jib, red cross cut dacron, hanks, fair condition	6.60	6.20	2.10	5	H2338
H2647	Genoa, cross cut dacron, hanks, fair condition	6.70	6.00	2.65	5	H2647
H2329	Heavy weather jib, cross cut dacron, hanks, fair condition	6.80	5.50	3.15	5	H2329
H1783	Staysail, cross cut dacron, fair condition and shape	6.84	4.53	3.58	6	H1783
<b>H2532</b>	Working Jib, cross cut dacron, 5mm luff, 1 reef, fair condition	6.86	6.00	2.90	7	<b>H2532</b>

All dimensions are in metric. Sails are offered subject to remaining unsold. Prices exclude VAT and carriage. Marks out of 10, 10/10 indicates excellent condition. 1/10 indicates very poor. Returns accepted.

# HEADSAILS

Please call or email for pricing and further details.

<u>ID NO.</u>	<u>SAIL DESCRIPTION</u>	<u>LUFF</u>	<u>LEECH</u>	<u>FOOT</u>	<u>Score</u>	<u>ID NO.</u>
<b>H2584</b>	Jib, mitre cut dacron, hank/wire, good condition	6.90	5.80	2.10	6	<b>H2584</b>
H2021	Jib, cross cut dacron, 4mm luff, fair condition	6.97	5.80	3.23	6	H2021
H2552	Jib, cross cut dacron, wire/hanks, fair condition	7.00	6.60	3.30	5	H2552
H1885	Jib, mitre cut blue dacron, hanks/wire, fair condition and shape	7.00	5.91	2.76	6	H1885
H2411	Jib, cross cut tan dacron, 4mm luff, tan UV to stbd, good condition	7.02	6.00	2.60	6	H2411
<b>H1999</b>	Jib, cross cut dacron, HF, wire/hanks luff, good condition and shape	7.05	6.47	2.43	7	<b>H1999</b>
H2443	Jib, mitre cut dacron, hanks, fair condition and shape	7.10	5.80	3.10	5	H2443
H2469	Genoa, cross cut dacron, hanks, 1 reef, fair condition	7.10	7.05	4.10	5	H2469
<b>H2637</b>	Heavy Jib, cross cut dacron, Hanks, fair condition	7.10	6.40	2.20	7	<b>H2637</b>
H2551	Jib, cross cut dacron, 5mm luff with grommets, fair condition	7.30	6.50	2.30	6	H2551
H2629	Jib, mitre cut dacron, hanks, good condition	7.35	5.60		8	H2629
<b>H2625</b>	Jib/Staysail, cross cut dacron, hanks, good condition	7.42	6.20	3.90	8	<b>H2625</b>
<b>H2603</b>	Genoa, cross cut dacron, hanks, fair condition and shape	7.45	7.15	2.93	6	<b>H2603</b>
H2661	Genoa, cross cut dacron, hanks, good condition	7.55	6.05	3.90	6	H2661
<b>H2604</b>	Genoa, cross cut dacron, hanks, fair condition and shape	7.60	7.70	3.55	7	<b>H2604</b>
<b>H2582</b>	Genoa, mitre cut dacron, hanks, fair condition	7.70	7.50	3.85	6	<b>H2582</b>
H2406	Genoa, mitre cut dacron, 8mm luff, fair condition	7.86	8.73	5.95	5	H2406
H2546	Light airs genoa, cross cut nylon, hanked luff, fair condition	8.00	7.90	5.10	6	H2546
<b>H2401</b>	Genoa, cross cut dacron, set for hanks, fair condition and shape	8.00	8.25	4.20	6	<b>H2401</b>
H2398	Jib, Tan mitre cut dacron, hanks, good condition	8.05	6.80	3.60	7	H2398
H2399	Jib, cross cut dacron, 7mm luff, blue UV to port, good condition	8.05	6.80	2.50	7	H2399
H2290	Jib, Tan cross cut dacron, 5mm luff, tan UV to port, good condition	8.30	6.80	2.90	6	H2290
<b>H1874</b>	Genoa, vertical cut dacron, 5mm luff tape, fair condition and shape	8.34	7.77	2.70	6	<b>H1874</b>
<b>H2578</b>	Jib, cross cut dacron, 6mm luff, fair condition	8.36	7.45	2.35	6	<b>H2578</b>
<b>H2391</b>	Genoa, cross cut dacron, 5mm luff, blue UV to port, good condition	8.40	7.90	3.26	9	<b>H2391</b>
<b>H2601</b>	Jib, Mitre cut dacron, luff slides, fair condition and shape	8.40	7.80	4.00	7	<b>H2601</b>
<b>H2583</b>	Heavy weather jib, mitre cut dacron, hanks/wire, fair condition	8.50	7.30	2.70	6	<b>H2583</b>
<b>H2611</b>	Genoa, cross cut dacron, hanks, fair condition	8.90	7.90	4.30	7	<b>H2611</b>
<b>H2550</b>	Jib, cross cut dacron, wire/hanks, fair condition	8.95	7.40	3.40	5	<b>H2550</b>
<b>H2615</b>	Genoa, cross cut dacron, 5mm luff, blue UV to port, fair condition *	9.00	8.60	4.50	5	<b>H2615</b>
<b>H2394</b>	Genoa, cross cut dacron, hanks, good condition and shape	9.00	8.20	4.10	7	<b>H2394</b>
<b>H1658</b>	Jib, cross cut dacron, uv strip, wire luff, good condition and shape	9.03	7.68	2.58	7	<b>H1658</b>
<b>H2175</b>	Genoa, cross cut dacron, uv strip, 5mm luff tape	9.05	8.45	3.53	6	<b>H2175</b>
<b>H2617</b>	Genoa, mitre cut dacron, fair condition	9.06	8.90	4.50	6	<b>H2617</b>
H2683	Genoa, cross cut dacron, 5mm luff, blue UV to stbd, fair condition	9.10	8.50	3.80	5	H2683
<b>H2592</b>	Genoa, cross cut dacron, 5mm luff, white UV to stbd, fair condition	9.18	8.65	4.50	7	<b>H2592</b>
<b>H2590</b>	Genoa, cross cut dacron, 7mm luff, burgundy UV to port, fair condition	9.20	8.20	5.20	7	<b>H2590</b>
<b>H2344</b>	Genoa, cross cut, hanks, fair shape and condition	9.20	8.80	4.78	5	<b>H2344</b>
<b>H2359</b>	Jib, cross cut dacron, hanks, fair condition	9.20	8.68	2.60	7	<b>H2359</b>
<b>H2643</b>	Staysail, cross cut dacron, 5mm luff, good condition	9.20	7.70	4.30	8	<b>H2643</b>
<b>H2591</b>	Genoa light No.1, cross cut dacron, hanks, fair condition	9.30	9.15	4.40	5	<b>H2591</b>
<b>H2585</b>	Genoa, cross cut dacron, hanks, fair condition	9.35	8.95	5.30	7	<b>H2585</b>

All dimensions are in metric. Sails are offered subject to remaining unsold. Prices exclude VAT and carriage. Marks out of 10, 10/10 indicates excellent condition. 1/10 indicates very poor. Returns accepted.

# HEADSAILS

Please call or email for pricing and further details.

<u>ID NO.</u>	<u>SAIL DESCRIPTION</u>	<u>LUFF</u>	<u>LEECH</u>	<u>FOOT</u>	<u>Score</u>	<u>ID NO.</u>
H2660	Genoa, cross cut dacron, 6mm luff, burgundy UV to port, fair condition	9.38	8.20	5.20	6	H2660
H2379	Genoa, Lt weight, mitre cut dacron, hanks, fair condition	9.40	9.30	5.10	6	H2379
H2498	Jib, cross cut dacron, hanks, fair condition	9.40	7.70	4.30	6	H2498
H2509	Genoa, cross cut dacron, 5mm luff, blue UV to port, fair condition	9.40	8.70	4.70	6	H2509
H2468	Jib/No.3, cross cut dacron, 6mm luff, fair condition.	9.46	8.20	2.90	7	H2468
H1439	No.3, hanked, fair condition	9.52	9.05	4.20	5	H1439
H2536	Genoa, cross cut dacron, 5mm luff, blue UV to stbd, fair condition	9.57	8.90	3.75	7	H2536
H2393	Genoa, cross cut dacron, hanks, good condition and shape	9.68	9.30	4.55	7	H2393
H2624	Genoa, cross cut dacron, hanks, good condition	9.77	9.20	4.60	8	H2624
H2428	Genoa, cross cut dacron, 5mm, fair condition	9.78	9.40	4.80	6	H2428
H2308	Genoa, cream cross cut dacron, fair condition	9.80	8.80	4.20	7	H2308
H2586	Genoa, cross cut dacron, 5mm luff, blue UV to stbd, very good condition	9.85	9.10	5.00	9	H2586
H2668	Genoa, cross cut dacron, 6mm luff, new blue UV to port, good condition	9.88	8.80	4.03	7	H2668
H2631	Heavy genoa, mitre cut dacron, hanks, fair condition	9.90	8.05	5.50	6	H2631
H2563	Light No.1 Genoa, mitre cut dacron, 5.5mm luff tape, fair condition	10.00	10.10	5.65	5	H2563
H1043	Yankee, cross cut blue dacron, hanks, fair condition and shape	10.05	7.00	4.75	7	H1043
H2572	Genoa, cross cut dacron, 5mm luff, fair condition	10.15	9.20	4.90	7	H2572
H2600	Genoa, mitre cut dacron, luff slides, fair condition	10.18	9.50	4.95	6	H2600
H2618	Jib, cross cut dacron, fair condition	10.37	10.15	2.00	6	H2618
H2645	Genoa, cross cut dacron, 5mm luff, blue UV to port, fair condition	10.39	10.10	5.95	5	H2645
H2597	Jib, mitre cut dacron, hanks, fair condition	10.40	8.80	4.00	6	H2597
H2558	Genoa, cross cut dacron, 5mm luff, 1 reef, fair condition *	10.45	9.65	4.80	5	H2558
H2638	Genoa, mitre cut, 5mm luff, Blue UV to port, fair condition	10.55	9.80	6.07	7	H2638
H2529	Yankee, cross cut dacron, 5mm luff, blue UV to port, good condition	10.57	8.83	4.40	8	H2529
H2420	Genoa, cross cut dacron, 5mm luff, blue UV to stbd, foam luff, fair condition	10.60	10.10	4.96	6	H2420
H2571	Genoa, cross cut dacron, 6mm luff, fair condition	10.62	10.10	5.70	7	H2571
H2671	Genoa, cross cut dacron, 9mm luff, blue UV to port, fair condition	10.65	10.10	5.70	6	H2671
H2644	Genoa, cross cut dacron, 5mm luff, good condition	10.65	9.92	5.20	8	H2644
H2465	Genoa, cross cut square dacron, 5mm luff, UV to stbd, good condition	10.70	10.19	4.90	8	H2465
H2639	Heavy genoa, high cut mitre cut dacron, hanks, fair condition	10.73	9.20	5.05	7	H2639
H2627	Jib, cross cut dacron, New blue UV to stbd, fair condition	10.84	10.00	3.70	6	H2627
H2526	Jib, Heavy weather cross cut dacron, hanks, fair condition	10.84	8.60	4.00	6	H2526
H2662	Genoa, cross cut dacron, 7mm luff, blue UV to port, fair condition	10.87	10.60	5.60	6	H2662
H2579	Genoa, cross cut dacron, 5mm luff, blue UV to port, fair condition	10.90	9.90	5.40	7	H2579
H2457	Jib/No.3, cross cut dacron, 5mm luff, 3 small horz battens, good condition.	10.91	10.30	3.60	8	H2457
H2348	Jib, cross cut dacron, wire luff, fair shape and condition	11.00	10.60	2.55	6	H2348
H2613	Genoa, Norlam tri radial laminate, 7mm luff, white UV to port, fair condition *	11.05	10.50	5.30	5	H2613
H2424	Genoa, cross cut dacron, 5mm luff, white UV to port, foam luff, fair condition	11.05	11.05	5.75	6	H2424
H2642	Light Genoa, cross cut dacron, 5mm luff, good condition	11.06	10.70	6.05	7	H2642
H2456	Genoa, cross cut dacron, 5mm luff, blue UV to stbd, fair condition	11.08	10.00	5.25	6	H2456
H2425	Genoa, Lt weight, cross cut dacron, 5mm luff, good condition	11.11	10.70	5.90	7	H2425
H2375	Genoa, cross cut dacron, 6mm, fair shape and condition	11.18	10.70	5.40	6	H2375

All dimensions are in metric. Sails are offered subject to remaining unsold. Prices exclude VAT and carriage. Marks out of 10, 10/10 indicates excellent condition. 1/10 indicates very poor. Returns accepted.

# HEADSAILS

Please call or email for pricing and further details.

<u>ID NO.</u>	<u>SAIL DESCRIPTION</u>	<u>LUFF</u>	<u>LEECH</u>	<u>FOOT</u>	<u>Score</u>	<u>ID NO.</u>
<b>H2565</b>	Genoa, Liteskin laminate, tri radial, 5mm luff, very good condition	11.20	10.65	5.60	9	<b>H2565</b>
<b>H2417</b>	Genoa, cross cut dacron, 5mm luff, blue UV to port, fair condition	11.23	10.80	4.70	7	<b>H2417</b>
<b>H2527</b>	No.3, cross cut dacron, hanks, fair condition	11.24	10.10	4.63	6	<b>H2527</b>
<b>H2623</b>	Genoa, cross cut dacron, hanks, good condition	11.30	10.70	5.45	8	<b>H2623</b>
<b>H2614</b>	Jib, cross cut dacron, hanks, fair condition	11.34	10.40	3.55	6	<b>H2614</b>
<b>H2501</b>	Jib, heavy weather cross cut dacron, hanks, orange hi viz strip, fair condition	11.47	9.70	3.80	6	<b>H2501</b>
<b>H2609</b>	Genoa, cross cut dacron, 5mm, fair shape and condition	11.50	10.40	5.00	7	<b>H2609</b>
<b>H2518</b>	Genoa, Flex double taffeta cross cut laminate, 5mm luff, good condition	11.50	11.40	5.20	9	<b>H2518</b>
<b>H2610</b>	Genoa, mitre cut dacron, 6mm luff, blue UV to port, fair condition	11.55	10.50	7.80	7	<b>H2610</b>
<b>H2438</b>	Genoa, cross cut dacron, 5mm luff, blue UV to port, fair condition	11.60	10.90	5.95	5	<b>H2438</b>
<b>H2368</b>	Genoa, cross cut dacron, 5mm, fair shape and condition	11.66	11.40	6.05	6	<b>H2368</b>
<b>H2655</b>	Genoa, cross cut dacron, 5mm luff, foam luff, black UV to port, fair condition	11.70	11.20	5.60	6	<b>H2655</b>
<b>H2659</b>	Genoa, cross cut dacron, 5mm luff, blue UV to stbd, fair condition	11.70	11.10	4.05	6	<b>H2659</b>
H2562	Light No.1 Genoa, cross cut dacron, 5mm luff tape, fair condition	11.70	11.30	5.80	6	H2562
<b>H2595</b>	Jib/Staysail, cross cut dacron, 5mm luff, blue UV to port, fair condition	11.73	10.54	3.60	6	<b>H2595</b>
<b>H2488</b>	Jib, cross cut dacron, 5mm luff, good shape and condition	11.75	10.20	4.46	8	<b>H2488</b>
<b>H2534</b>	Genoa, cross cut dacron, 5mm luff, blue UV to stbd, fair condition	11.86	11.70	4.93	7	<b>H2534</b>
H1962	Ghosting genoa, cross cut dacron, hanks, good condition and shape	11.87	11.40	6.25	7	H1962
H2670	Genoa, cross cut dacron, 5mm luff, UV to stbd, fair condition	11.90	11.45	5.50	6	H2670
<b>H2535</b>	Genoa, cross cut dacron, 5mm luff, blue UV to stbd, fair condition	11.90	11.40	3.80	7	<b>H2535</b>
<b>H2598</b>	Genoa, cross cut dacron, 5mm luff, fair condition and shape	11.95	10.40	4.40	7	<b>H2598</b>
<b>H2674</b>	Genoa, cross cut dacron, 5mm luff, foam luff, good condition	12.00	10.95	5.20	8	<b>H2674</b>
<b>H2524</b>	Genoa, cross cut dacron, 5mm luff, blue UV to stbd, fair condition	12.03	11.10	5.95	6	<b>H2524</b>
<b>H2576</b>	Working Jib, cross cut dacron, hanks, fair condition	12.10	10.10	5.00	7	<b>H2576</b>
<b>H2516</b>	Genoa, cross cut dacron, 5mm luff, blue UV to stbd, good condition	12.10	11.70	4.60	7	<b>H2516</b>
<b>H2564</b>	Genoa, cross cut dacron, 5mm luff, foam luff, blue UV to stbd, fair condition	12.20	11.70	6.00	7	<b>H2564</b>
<b>H2634</b>	Genoa, cross cut dacron, 5mm luff, foam luff, blue UV to stbd, fair condition	12.23	11.70	6.00	7	<b>H2634</b>
H2630	Light airs genoa, cross cut dacron, hanked luff, fair condition	12.27	12.45	7.80	8	H2630
<b>H2646</b>	Genoa, cross cut dacron, 5mm luff, blue UV to stbd, fair condition	12.30	11.50	5.70	5	<b>H2646</b>
<b>H2632</b>	Genoa, cross cut dacron, 5mm luff, white UV to stbd, fair condition	12.30	11.48	5.50	6	<b>H2632</b>
<b>H2510</b>	Genoa, cross cut dacron, 5mm luff, UV to stbd, fair condition	12.30	12.00	6.00	6	<b>H2510</b>
<b>H2587</b>	Genoa, cross cut dacron, 5mm luff, white UV to stbd, good condition	12.30	11.60	3.75	8	<b>H2587</b>
<b>H2515</b>	Jib, cross cut dacron, 8mm luff, blue UV to port, fair shape and condition	12.40	11.60	3.20	6	<b>H2515</b>
H2005	Mylor reacher, wire luff, fair condition	12.45	9.65	4.80	6	H2005
H2685	Working Jib, cross cut dacron, hanks, fair condition	12.50	11.42	3.83	5	H2685
<b>H2599</b>	Genoa, cross cut dacron, 5mm luff, fair condition and shape	12.50	11.70	6.10	6	<b>H2599</b>
<b>H2666</b>	Jib, cross cut dacron, 5mm luff, white UV to port, fair condition	12.60	11.50	3.80	6	<b>H2666</b>
<b>H2326</b>	Genoa, cross cut dacron, hanks, fair condition	12.60	12.30	6.60	5	<b>H2326</b>
<b>H2619</b>	Genoa, bi radial cut dacron, 6mm luff, white UV to port, fair condition	12.60	12.00	6.50	7	<b>H2619</b>
<b>H2620</b>	Genoa, cross cut dacron, 5mm luff, white UV to port, foam luff, fair condition	12.65	12.05	6.60	6	<b>H2620</b>
<b>H2412</b>	Genoa, cross cut tan dacron, 4mm luff, tan UV to stbd, good condition	12.72	11.20	6.54	6	<b>H2412</b>
<b>H2626</b>	Genoa, cross cut dacron, 5mm luff, blue UV to stbd, good condition and shape	12.75	12.20	6.45	7	<b>H2626</b>

All dimensions are in metric. Sails are offered subject to remaining unsold. Prices exclude VAT and carriage. Marks out of 10, 10/10 indicates excellent condition. 1/10 indicates very poor. Returns accepted.

# HEADSAILS

Please call or email for pricing and further details.

<u>ID NO.</u>	<u>SAIL DESCRIPTION</u>	<u>LUFF</u>	<u>LEECH</u>	<u>FOOT</u>	<u>Score</u>	<u>ID NO.</u>
H2673	Yankee, cross cut dacron, 5mm luff, good condition	12.90	10.60	5.15	8	H2673
<b>H2566</b>	Jib, cross cut dacron, 5mm luff, blue UV to stbd, good shape and fair condition	12.90	12.30	4.45	6	<b>H2566</b>
H2682	Genoa, cross cut Hydranet, 5mm luff, foam luff, white UV to Stbd, fair condition	13.10	11.80	5.80	6	H2682
<b>H2504</b>	Genoa, bi-radial dacron, 5mm luff, blue UV to stbd, good condition and shape	13.10	12.50	5.60	7	<b>H2504</b>
<b>H2680</b>	Genoa, cross cut dacron, 5mm luff, white UV to stbd, very good condition	13.17	12.40	5.60	9	<b>H2680</b>
H2672	Light No.1 Genoa, cross cut dacron, 5mm luff tape, foam luff, blue UV to stbd, fair condition	13.25	12.50	6.30	6	H2672
<b>H2635</b>	Heavy Jib, cross cut dacron, 5mm luff, 3 horz battens, fair condition	13.25	12.10	4.26	7	<b>H2635</b>
H2679	Genoa, cross cut dacron, 5mm luff, burgundy UV to stbd, good condition	13.30	12.90	6.00	7	H2679
<b>H2657</b>	Heavy Jib, cross cut dacron, 5mm luff, 4 horz battens, good condition	13.30	11.20	4.40	8	<b>H2657</b>
<b>H2665</b>	Jib, cross cut dacron, 5mm luff, fair condition	13.53	12.50	4.20	6	<b>H2665</b>
<b>H2557</b>	Genoa, cross cut vectran dacron, 5mm luff, stbd UV, fair condition and shape	13.60	12.80	5.90	6	<b>H2557</b>
<b>H2575</b>	Genoa, cross cut dacron, hanks, fair condition	13.70	12.30	6.45	6	<b>H2575</b>
<b>H2533</b>	Genoa, bi radial cut dacron, 6mm luff, blue UV to port, fair condition *	13.74	12.40	6.80	4	<b>H2533</b>
H2669	Jib, cross cut dacron, 5mm luff, blue UV to stbd, good condition	13.80	12.70	4.30	9	H2669
<b>H2602</b>	Jib, tri-radial cruise laminate, 5mm luff, back up grommets, white UV to stbd, good condition	13.95	13.10	4.30	8	<b>H2602</b>
<b>H2502</b>	Genoa, cross cut dacron, 5mm luff, white UV to stbd, good condition	14.48	13.50	6.50	7	<b>H2502</b>
<b>H2521</b>	Genoa, tri-radial cruise laminate, 5mm luff, white UV to stbd, good condition and shape	14.55	13.90	5.26	8	<b>H2521</b>
<b>H2462</b>	Genoa, cross cut dacron, 5mm luff, grey UV to stbd, fair condition	14.80	14.30	7.80	7	<b>H2462</b>
H2667	Jib, tri-radial grey cruise laminate, 5mm luff, 4 vertical battens, grey UV to stbd, good condition	15.00	14.00	4.90	9	H2667
H2633	Genoa, tri radial cruise laminate, 5mm luff, white UV to port, fair condition *	15.17	14.60	7.00	5	H2633
<b>H2555</b>	Genoa, cross cut dacron, zip luff, 3 vertical battens, good condition	15.37	14.45	5.90	8	<b>H2555</b>
H2664	Jib, cross cut dacron, 5mm luff, 4 battens, good condition	15.60	14.55	4.55	8	H2664
H2681	Genoa, cross cut dacron, 6mm luff, white UV to stbd, fair condition	15.70	15.10	7.30	7	H2681
<b>H2636</b>	Jib, cross cut dacron, 5mm luff, fair condition	15.76	14.80	4.40	7	<b>H2636</b>
<b>H2656</b>	Genoa, tri radial high cut, 5mm luff, foam luff, white UV to stbd, fair condition	15.90	13.80	6.60	7	<b>H2656</b>
H2675	Genoa, tri radial cruise laminate, 5mm luff, foam luff, grey UV to port, fair condition *	15.90	15.40	8.10	5	H2675
<b>H2450</b>	Genoa, cross cut dacron, 5mm luff, foam luff, grey UV to stbd, good condition and shape	16.00	14.90	5.20	7	<b>H2450</b>
<b>H2482</b>	Genoa, cross cut dacron, 5mm luff, white UV to stbd, fair condition	16.20	15.50	7.00	6	<b>H2482</b>
<b>H2513</b>	Genoa, cross cut dacron, 5mm luff, blue UV to stbd, fair condition	16.80	16.00	8.00	6	<b>H2513</b>
H2684	Genoa, cross cut dacron, 6mm luff, fair condition	17.00	16.00	6.50	7	H2684
<b>H2594</b>	Yankee, cross cut dacron, 5mm luff, blue UV to port, fair condition	17.20	13.20	6.90	5	<b>H2594</b>
H2663	Self tacking Jib, grey cruise laminate, 5mm luff, grey UV to stbd, fair condition	17.25	16.05	5.10	6	H2663

All prices are plus VAT